



MAY 22, 2001

Assistant Commissioner for Patents  
Attn: Official Draftsman  
Washington, DC 20231

Re: US Application No. 09/811,028  
Filed: March 16, 2001  
For: ROTARY INCUBATION STATION  
FOR IMMUNOASSAY SYSTEMS

Our Ref: 1991-174

Dear Sir:

In response to your formalities letter and notice to file corrected application papers in the US Application mailed March 16, 2001, enclosed are six (6) sheets of corrected informal drawings.

Please charge any necessary fees to our Deposit Account No. 02-1660.

Very truly yours,

Gary T. Hampson  
Registration No. 29,929  
Attorney for Applicants

GTH: bc

**CERTIFICATE OF MAILING**

I hereby certify that this correspondence is being deposited with the U.S. Postal Service as first class mail in an envelope addressed to:  
Assistant Commissioner for Patents, Attn: Official Draftsman,  
Washington, D.C. 20231, on May 22, 2001.

  
Betty Compean

Beckman Coulter, Inc.  
Amin I. Khalifa  
Vice President, Finance  
and Chief Financial Officer

Corporate Headquarters  
4300 N. Harbor Boulevard  
P.O. Box 3100  
Fullerton, CA 92834-3100

Telephone: (714) 773-8224  
Facsimile: (714) 773-8543  
E-mail: aikhalifa@beckman.com



0300

## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/811,028	03/16/2001	Donald J. Gjerdingen	1991-174

CONFIRMATION NO. 5691

22471  
BECKMAN COULTER INC  
4300 NORTH HARBOR BOULEVARD  
P O BOX 3100  
FULLERTON, CA 928343100

## FORMALITIES LETTER



\*OC000000006029973\*

Date Mailed: 05/02/2001

## NOTICE TO FILE CORRECTED APPLICATION PAPERS


*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. ( 5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

  
Customer Service Center  
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE